





## NORMAL TİP KABLO KANALLARI





www.galaksitd.com.tr

Sipariş Kod No ... B*H*e	L (mm)	B (mm)	e (mm)	Ağırlık (Kg/m)
GNK-050-40-10	2.400	50	1,00	0,91
GNK-050-40-15	2.400	50	1,50	1,36
GNK-050-40-20	2.400	50	2,00	1,82
GNK-100-40-10	2.400	100	1,00	1,26
GNK-100-40-15	2.400	100	1,50	1,89
GNK-100-40-20	2.400	100	2,00	2,52
GNK-150-40-10	2.400	150	1,00	1,61
GNK-150-40-15	2.400	150	1,50	2,42
GNK-150-40-20	2.400	150	2,00	3,22
GNK-200-40-15	2.400	200	1,50	2,94
GNK-200-40-20	2.400	200	2,00	3,93
GNK-250-40-15	2.400	250	1,50	3,47
GNK-250-40-20	2.400	250	2,00	4,63
GNK-300-40-15	2.400	300	1,50	4,00
GNK-300-40-20	2.400	300	2,00	5,33
GNK-400-40-15	2.400	400	1,50	5,05
GNK-400-40-20	2.400	400	2,50	6,73
GNK-500-40-15	2.400	500	1,50	6,10
GNK-500-40-20	2.400	500	2,00	8,14
GNK-600-40-15	2.400	600	1,50	7,16
GNK-600-40-20	2.400	600	2,00	9,54
GNK-100-60-12	2.400	100	1,20	1,85
GNK-100-60-15	2.400	100	1,50	2,31
GNK-150-60-12	2.400	150	1,20	2,27
GNK-150-60-15	2.400	150	1,50	2,84
GNK-200-60-12	2.400	200	1,20	2,69
GNK-200-60-15	2.400	200	1,50	3,36
GNK-250-60-12	2.400	250	1,20	3,11
GNK-250-60-15	2.400	250	1,50	3,89
GNK-300-60-15	2.400	300	1,50	4,42
GNK-300-60-20	2.400	300	2,00	5,89
GNK-400-60-20	2.400	400	2,00	7,30
GNK-500-60-20	2.400	500	2,00	8,70
GNK-600-60-20	2.400	600	2,00	10,10

e : Saç Kalınlığı (mm)



# AĞIR HİZMET KABLO KANALLARI



Sipariş Kod No ... B*H*e	L (mm)	B (mm)	e (mm)	Ağırlık (Kg/m)
GAK-050-40-10	2.400	50	1,00	1,08
GAK-050-40-15	2.400	50	1,50	1,62
GAK-050-40-20	2.400	50	2,00	2,16
GAK-100-40-10	2.400	100	1,00	1,43
GAK-100-40-15	2.400	100	1,50	2,15
GAK-100-40-20	2.400	100	2,00	2,86
GAK-150-40-10	2.400	150	1,00	1,78
GAK-150-40-15	2.400	150	1,50	2,67
GAK-150-40-20	2.400	150	2,00	3,56
GAK-200-40-15	2.400	200	1,50	3,20
GAK-200-40-20	2.400	200	2,00	4,26
GAK-250-40-15	2.400	250	1,50	3,72
GAK-250-40-20	2.400	250	2,00	4,97
GAK-300-40-15	2.400	300	1,50	4,25
GAK-300-40-20	2.400	300	2,00	5,67
GAK-400-40-15	2.400	400	1,50	5,30
GAK-400-40-20	2.400	400	2,50	7,08
GAK-500-40-15	2.400	500	1,50	6,36
GAK-500-40-20	2.400	500	2,00	8,48
GAK-600-40-15	2.400	600	1,50	7,41
GAK-600-40-20	2.400	600	2,00	9,88
GAK-100-60-12	2.400	100	1,20	2,05
GAK-100-60-15	2.400	100	1,50	2,56
GAK-150-60-12	2.400	150	1,20	2,47
GAK-150-60-15	2.400	150	1,50	3,10
GAK-200-60-12	2.400	200	1,20	2,89
GAK-200-60-15	2.400	200	1,50	3,62
GAK-250-60-12	2.400	250	1,20	3,31
GAK-250-60-15	2.400	250	1,50	4,15
GAK-300-60-15	2.400	300	1,50	4,67
GAK-300-60-20	2.400	300	2,00	6,23
GAK-400-60-20	2.400	400	2,00	7,63
GAK-500-60-20	2.400	500	2,00	9,04
GAK-600-60-20	2.400	600	2,00	10,44

e : Saç Kalınlığı (mm)

# AĞIR HİZMET KABLO KANALLARI



Sipariş Kod No  
... B\*H\*e

L  
(mm)



B  
(mm)

e  
(mm)

Ağırlık  
(Kg/m)

GNK-100-100-15	2.400	100	1,50	3,47
GNK-100-100-20	2.400	100	2,00	4,63
GNK-150-100-15	2.400	150	1,50	4,00
GNK-150-100-20	2.400	150	2,00	5,33
GNK-200-100-15	2.400	200	1,50	4,52
GNK-200-100-20	2.400	200	2,00	6,03
GNK-250-100-15	2.400	250	1,50	5,05
GNK-250-100-20	2.400	250	2,00	6,73
GNK-300-100-15	2.400	300	1,50	5,58
GNK-300-100-20	2.400	300	2,00	7,44
GNK-400-100-15	2.400	400	1,50	6,63
GNK-400-100-20	2.400	400	2,00	8,84
GNK-500-100-15	2.400	500	1,50	7,68
GNK-500-100-20	2.400	500	2,00	10,24
GNK-600-100-15	2.400	600	1,50	8,74
GNK-600-100-20	2.400	600	2,00	11,65

Kapak



Uzunluk : 2400 mm

Sipariş Kod No  
... B\*H\*e

L  
(mm)

B  
(mm)


e  
(mm)

Ağırlık  
(Kg/m)

GKK-050-15-10	2.400	50	1,00	0,66
GKK-100-15-10	2.400	100	1,00	1,05
GKK-150-15-10	2.400	150	1,00	1,44
GKK-200-15-10	2.400	200	1,00	1,83
GKK-250-15-10	2.400	250	1,00	2,22
GKK-250-15-12	2.400	250	1,20	2,66
GKK-300-15-12	2.400	300	1,20	3,13
GKK-300-15-15	2.400	300	1,50	3,91
GKK-400-15-15	2.400	400	1,50	5,08
GKK-500-15-15	2.400	500	1,50	6,25
GKK-600-15-15	2.400	600	1,50	7,42


e : Saç Kalınlığı (mm)

# KABLO KANALLARI İÇİN 90° VE T DÖNÜŞLER




Radüs=103mm

## KABLO KANALLARI İÇİN 90° YATAY DÖNÜŞLER




Sipariş Kod No En-Derinlik	B (mm)	e (mm)	Ağırlık (Kg/m)
GNY-050-40	55	1,50	0,40
GNY-100-40	105	1,50	0,62
GNY-150-40	155	1,50	0,90
GNY-200-40	205	1,50	1,20
GNY-250-40	255	1,50	1,68
GNY-300-40	305	2,00	2,75
GNY-400-40	405	2,00	4,25
GNY-500-40	505	2,00	6,08
GNY-600-40	605	2,00	8,22
GNY-100-60	105	1,50	0,74
GNY-150-60	155	1,50	1,05
GNY-200-60	205	1,50	1,40
GNY-250-60	255	1,50	1,85
GNY-300-60	305	2,00	3,10
GNY-400-60	405	2,00	4,66
GNY-500-60	505	2,00	6,54
GNY-600-60	605	2,00	8,72




Radüs=103mm

## KABLO KANALLARI İÇİN T DÖNÜŞLE




Sipariş Kod No En-Derinlik	B (mm)	e (mm)	Ağırlık (Kg/m)
GNT-050-40	55	1,50	0,55
GNT-100-40	105	1,50	0,80
GNT-150-40	155	1,50	1,09
GNT-200-40	205	1,50	1,50
GNT-250-40	255	1,50	1,75
GNT-300-40	305	2,00	3,05
GNT-400-40	405	2,00	4,50
GNT-500-40	505	2,00	6,38
GNT-600-40	605	2,00	8,39
GNT-100-60	105	1,50	0,95
GNT-150-60	155	1,50	1,30
GNT-200-60	205	1,50	1,69
GNT-250-60	255	1,50	2,10
GNT-300-60	305	2,00	3,30
GNT-400-60	405	2,00	4,78
GNT-500-60	505	2,00	6,65
GNT-600-60	605	2,00	8,85

# NORMAL TİP DÖRTLÜ GEÇİŞ VE REDİKSİYONLAR



Radüs=103mm



Sipariş Kod No  
... B\*H

B  
(mm)

e  
(mm)

Ağırlık  
(Kg/m)

GNX-050-40	55	1,50	0,78
GNX-100-40	105	1,50	1,20
GNX-150-40	155	1,50	1,45
GNX-200-40	205	1,50	1,60
GNX-250-40	255	1,50	1,90
GNX-300-40	305	2,00	3,20
GNX-400-40	405	2,00	4,70
GNX-500-40	505	2,00	6,45
GNX-600-40	605	2,00	8,56



GNX-100-60	105	1,50	1,20
GNX-150-60	155	1,50	1,65
GNX-200-60	205	1,50	1,80
GNX-250-60	255	1,50	2,20
GNX-300-60	305	2,00	3,45
GNX-400-60	405	2,00	4,95
GNX-500-60	505	2,00	6,72
GNX-600-60	605	2,00	9,01

Sipariş Kod No  
... B\*H

B  
(mm)

e  
(mm)

Ağırlık  
(Kg/m)



GNR-100-40	105	1,50	0,39
GNR-150-40	155	1,50	0,62
GNR-200-40	205	1,50	0,90
GNR-250-40	255	1,50	1,28
GNR-300-40	305	2,00	2,22
GNR-400-40	405	2,00	3,65
GNR-500-40	505	2,00	5,28
GNR-600-40	605	2,00	7,25

GNR-100-60	105	1,50	0,49
GNR-150-60	155	1,50	0,78
GNR-200-60	205	1,50	1,05
GNR-250-60	255	1,50	1,48
GNR-300-60	305	2,00	2,54
GNR-400-60	405	2,00	3,98
GNR-500-60	505	2,00	5,70
GNR-600-60	605	2,00	7,75

e : Saç Kalınlığı (mm)